ATTORNEY DOCKER: SP03-167 SERIAL NO. 10/750,474

FILED: DECEMBER 31, 2003 GROUP ART UNIT: 1744

EXAMINER: DAVID A. REDDING

PAGE 3

## In the Claims

Please cancel claims 2, 5 and 14 without prejudice.

Please amend the claims as follows:

1. (Currently amended) A flask for the growth of cells comprising:

a flask body serving as a cell culture chamber defined by a bottom tray having a rigid surface and a top plate, the bottom tray and top plate connected by side walls

and end walls,

at least one gas permeable insert located within the flask body defining a gas

permeable opening through which gases from within the cell culture chamber

communicate with gases outside the cell culture chamber,

wherein the gas permeable insert is a hydrophobic membrane, and

at least one aperture in the flask body containing a leak proof septum.

2. (Cancelled) The flask according to claim 1, wherein the gas permeable insert is a

hydrophobic membrane

3. (Original) The flask according to claim 1, wherein the aperture is a neck extending

from the flask body.

4. (Original) The flask according to claim 3 further comprising a cap containing said

septum in a top surface thereof and wherein cap is received capable of sealing the

aperture neck.

5. (Cancelled) The flask according to claim 1 wherein the at least one aperature is located

within the top plate.

ATTORNEY DOCKER: SP03-167

SERIAL NO. 10/750,474 FILED: DECEMBER 31, 2003

GROUP ART UNIT: 1744
EXAMINER: DAVID A. REDDING

PAGE 4

6. (Currently amended) The flask according to claim 1 wherein the at least on one

aperture is located within the side walls or end walls.

7. (Original) The flask according to claim 3 further comprising a vent integrally molded

within the top surface, whereby the vent is capable of supporting the insert and whereby

the insert covers the vent such that liquid may not escape the cell culture chamber through

the vent.

8. (Original) The flask according to claim 1 wherein the flask body has a substantially

rectangular footprint and a substantially uniform height.

9. (Original) The flask according to claim 8 wherein the dimensions of the substantially

rectangular footprint and substantially uniform height are substantially identical to the

industry standard footprint and height dimensions for microplates.

10. (Original) The flask according to claim 1 further comprising stand-offs either rising

from an exterior surface of the top plate or descending from an exterior surface of the

bottom tray.

11. (Original) The flask according to claim 1 wherein said aperture is located along one

wall and an interior portion of an opposing wall is sloped in such a way that when the

flask is situated with the aperture facing upwards, the lowest most point of the opposing

sidewall is located in vertical alignment with the aperture.

12. (Original) The flask according to claim 4 wherein the flask has a height as measured

by the distance between an outermost plane of the bottom tray and an outermost plane of

the top plate, and wherein the cap has a diameter that does not exceed the height of the

flask.

ATTORNEY DOCKER: SP03-167

SERIAL NO. 10/750,474 FILED: DECEMBER 31, 2003

GROUP ART UNIT: 1744 EXAMINER: DAVID A. REDDING

PAGE 5

13. (Currently amended) A flask for the growth of cells comprising:

a flask body serving as a cell culture chamber defined by a bottom tray having a rigid

surface and a top plate, the bottom tray and top plate connected by side walls

and end walls,

the flask body having a substantially rectangular footprint,

at least one gas permeable insert located within the flask body defining a gas

permeable opening through which gases from within the cell culture chamber

communicate with gases outside the cell culture chamber,

a neck connected to and extending from the flask body, the neck having an opening

providing access to the cell culture chamber,

a cap for covering said neck opening,

a cut-out region from said substantially rectangular footprint,

whereby the neck and cap extend from the flask within the cut-out region such that

the neck and cap remain within the substantially rectangular footprint.

14. (Cancelledl) The flask of claim 13 further comprising at least one gas permeable

insert located within the flask body defining a gas permeable opening through which

gases from within the cell culture chamber communicate with gasses outside the cell

culture chamber.

15. (Currently amended) The flask of claim 1314 wherein the insert is a hydrophobic

membrane.

16. (Original) The flask of claim 13 further comprising a septum located within a top

surface of the cap.

ATTORNEY DOCKER: SP03-167

SERIAL NO. 10/750,474 FILED: DECEMBER 31, 2003

GROUP ART UNIT: 1744
EXAMINER: DAVID A. REDDING

PAGE 6

17. (Original) The flask according to claim 13 wherein the rectangular footprint has

dimensions that are substantially identical to the industry standard footprint dimension for

microplates.

18. (Original) The flask according to claim 13 further comprising stand-offs either rising

from an exterior surface of the top plate or descending from an exterior surface of the

bottom tray.

19. (Original) The flask according to claim 13 wherein the flask has a height as measured

by the distance between an outermost plane of the bottom tray and an outermost plane of

the top plate, and wherein the cap has a diameter that does not exceed the height of the

flask.

20. (Original) The flask according to claim 13 wherein said neck is located along one wall

and an interior portion of an opposing wall is sloped in such a way that when the flask is

situated with the neck facing upwards, the lowest most point of the opposing sidewall is

located in vertical alignment with the neck.

21. (Currently amended) The flask according to claim 1314 further comprising a vent

integrally molded within the top surface, whereby the vent is capable of supporting the

insert and whereby the insert covers the vent such that liquid may not escape the cell

culture chamber through the vent.